

PATIO DOOR



by OKNA Windows





PATIO DOOR



by OKNA Windows

OKNA Windows has been a stand-out in the window and door industry for over 30 years. What began as a small production facility in Bristol, Pennsylvania has expanded to a community of certified dealers caring for homeowners across twenty-five states. We are:

- **Family Owned & Operated**
- **Professional Customer-First Service**
- **Backed by 30 Years of Dedication and Innovation**

We make it our mission to bring to you tomorrow's patio doors, today.



2-Panel

A two-panel patio door configuration available in Elegante and Forester styles.



Tri-View

A three-panel patio door operating with one moving panel.



Panorama

A four panel patio door unit with two operating panels.



OKNA windows are backed by the Lifetime Transferable Limited Warranty. Please ask your certified dealer for details on coverage.




Elegante (E)

Available in replacement and new construction applications, Elegante | 8800 Patio Doors are ideal for adding light to any room while making the most of limited space. Ranks high in structural integrity, energy efficiency, and product performance. Available in Standard Euro-White, Optional Almond, or our beautiful optional wood laminates.



Forester (F)

This door is built using a butt-joint weld, showcasing traditional joinery with the benefits of advanced fusion welding. Forester | 8200 Patio Doors are available in Standard Euro-White, optional Almond, and our beautiful laminates.



2-PANEL



TriView is available with **ELEGANTE** 8800PD-3 corner welding or **FORESTER** 8200PD-3 butt joints, for a traditional true-wood appearance. Available in Euro-White, Almond, and our beautiful wood and Onyx Black® laminates.

*Catalog 3-panel unit widths include 88 ½", 106 ½" & 142 ½". Maximum custom width 144". Maximum custom height 96". Standard 2-Point Locking System** or Multipoint Locking System and Euro-White hardware.*

*Onyx Black not available for Elegante | 8800PD, Elegante | 8800PD-3 or Panorama E| 9000PD.
 **For doors greater than 85" in height, the Multipoint Locking System is required.

Tri-View Door Interior ▶



TRI VIEW

E

F

3 PANELS • MULTIPOINT LOCKING SYSTEM



Panorama joins the Patio Door Collection, offering a center-opening, 4-panel unit for replacement or new construction applications, with Multipoint Locking System that provides four locking points for increased security. Panorama is available with **ELEGANTE** 9000PD corner welding or **FORESTER** 9200PD butt joints, for a traditional true-wood appearance.

*Catalogue 4-panel unit widths include 107¹/₄", 116¹/₄", & 140¹/₄".
Maximum custom width 144". Maximum custom height 96".
Standard Multipoint Locking System and Euro-White hardware.*

Available in Euro-White, Almond, and our beautiful wood and Onyx Black* laminates.

*Onyx Black not available for Elegante | 8800PD, Elegante | 8800PD-3 or Panorama E | 9000PD.

**For doors greater than 85" in height, the Multipoint Locking System is required.

Panorama Door Interior (Right) ▶



PANORAMA



4 PANELS • CENTER-OPENING • MULTIPOINT LOCKING SYSTEM




BUILT TO PERFORM +


Learn more about the OKNA Patio Door offerings below. From smooth glide to sleek appearance, the patio door line is a timeless addition to any home. Whether new construction or replacement, OKNA Patio Doors are a guaranteed premium choice.




A
Anodized Aluminum Track/Threshold
Screen & roller tracks and threshold for increased strength, durability, and longevity.




B
Interlocking Meeting Rail
Quadruple weatherstripping controls air/water/dust/noise infiltration. Full-length heavy gauge reinforcements for rigidity and strength.



C
Precision-Bearing Tandem Rollers
Operating panels are equipped with adjustable stainless steel precision-bearing tandem rollers for smooth and quiet operation.



D
Thermally Welded Main Frame
Multichambered 5 5/8" main frame, superior strength and insulation. Better thermal efficiency with optional foam.




- E Fortified Sash Wall**
Increased thickness on outer sash wall adds strength and rigidity and supports the glass unit.
- F Aluminum Weight Support**
applies force from the door directly onto wheel to prevent stress on vinyl material. Sash weight is applied directly onto the patio door roller.
- G Aluminum Screen Track**
supports screens for ease of movement.
- H Double Weatherstripping**
creates a firm seal.
- I Bulb Gasket Seal**
OKNA's superior drainage system reduces air infiltration.




Bronze Painted Exterior
2-Panel Door with
ThruVision PLUS® Screen

SCREENS

ThruVision PLUS® is our fiberglass improved visibility screen. This product does for windows and doors what high-definition technology has done for television viewing; it improves the view by making it sharper and more vivid.



Industry Average Screen




ThruVision PLUS®
Standard on all OKNA Products

Patio Door Pet Screen

Optional

Pet Screen® is seven times stronger than traditional insect screening and offers excellent outward visibility. Ideal for high-traffic areas prime for potential damage and heavy wear.
**Available on Patio Doors only.*



CUSTOMIZATION +



Multipoint Locking System *Optional*

Upgrade with optional Multipoint Locking System*, with four locking points for added security and used with locking exterior hardware only.
**Multipoint Locking System is standard with 4-panel Patio Doors.*

Foot Lock *Optional*

Our push button spring-loaded foot lock is easy to lock and can be set to allow ventilation while having extra security. *Available in:*



- Euro-White
- Almond
- Cocoa
- Black**

***Available for Onyx Black 8200/9200 only.*

COLOR Selections

OKNA offers six beautiful interior laminates in addition to our solid Almond and standard Euro-White, along with seven optional exterior stock colors and custom exterior colors from a virtually unlimited selection of environmentally safe and durable paints.

Interior Options

VINYL

Euro-White
Standard

Almond
Optional

INTERIOR LAMINATES

Natural
Optional

Winchester
Optional

Melrose Cherry
Optional

Dark Oak
Optional

Onyx Black
Optional*

Exterior Painted Colors

Almond
Optional

Sandstone
Optional**

Terra Brown
Optional**

Cocoa
Optional

Basic Brown
Optional**

Bronze
Optional

Nicol's Black
Optional**

Custom Colors
Optional**

** Not available for Elegante | 8800 or Panorama E | 9000 Patio Doors.*

All colors except Euro-White are available at an additional charge. Printed colors may not match the product's color. Please visit a local dealer to view color samples.

*** Surcharge applied for painted screens.*

INTERIOR

Merit Lock System

Our standard is a classic patio door handle that will match any home decor.

Euro-White
Standard

Almond
Standard on Winchester

Cocoa
Standard on Melrose Cherry and Dark Oak

Antique Brass
Optional

Brushed Nickel
Optional

Matte Bronze
Optional (Standard on Onyx Black Laminate)

Coastal hardware available for coastal regions.

EXTERIOR

Intuition Lock System

The ergonomic ONE-MOTION operation allows unlock/open in a single fluid motion.

Euro-White
Standard

Almond
Standard on Winchester

Cocoa
Standard on Melrose Cherry and Dark Oak

Antique Brass
Optional

Brushed Nickel
Optional

Matte Bronze
Optional (Standard on Onyx Black Laminate)

Exterior Hardware

We offer two options for exterior hardware on your patio door, locking and non-locking*.

If you have a custom exterior color on your patio door, we will pick one of the hardware options to best match the color.

Euro-White

Cocoa

Almond

Matte Bronze

**4-Panel Patio Doors automatically use locking exterior hardware with their standard Multipoint Locking System.*

High Performance HeatSeal® Spacer

Our HeatSeal® Spacer and sealant system is made with six individual non-metallic components. Produced in a controlled factory setting, the spacer comes ready to use, out of the box; no assembly and no adding other components. Used in OKNA's state-of-the-art robotic assembly line, our spacer is applied with a one-step process where units are sealed using heat and compression. Our HeatSeal® Spacer guarantees your home the warmest glass and least condensation possible.

High Performance Reflective Glass Coatings

Single Pane of Glass


TEMPERATURE
(FAHRENHEIT)
0° || **70°**
OUTSIDE || INSIDE

**Aluminum
Spacer**
Sealed with PIB
& polysulfide

25.7°

41.0°

Structural Spacer

			
Clear Glass	HeatSeal® Coated Glass	SunSeal® Coated Glass	
(AR)	(KR)	(DP)	(TP)
Argon Gas	Krypton Gas	Double Pane	Triple Pane

How well a window protects against ultraviolet rays.

HeatSeal[™]
Triple Glass
(TP) (KR)

✓✓✓✓✓

✓✓✓✓

✓✓✓

1/1/1/1/1/

TYPES	
	Flat Grids Between Glass (GBG)
	Contour Grids Between Glass (GBG)
	Simulated Divided Lites (SDL)
PATTERNS	Colonial
	Prairie
	Diamond <i>Available only with 3/4" Flat (GBG).</i>

A potted plant with a large white number '6' and the text 'FROM GLASS' and 'Obscure'.

Obscure

6'

FROM GLASS

Obscure

Obscure

Retractable Mini Blinds

Optional

Installed between the glass, retractable Mini Blinds allow light and privacy control by raising, lowering, and adjusting tilting. Available on Elegante and Forester Patio Doors, for 5' & 6' only.

THERMAL PERFORMANCE

Please use the QR code or the text link to access the most up-to-date Patio Door thermal performance numbers.



2-PANEL

8800PD

8200PD



3-PANEL

8800PD-3C

8200PD-3C



4-PANEL

9000PD


9200PD



Custom Color 2-Panel
Patio Door with
Colonial Grids

XR9: Triple pane glass, 15/16" XR10: Triple pane glass, 15/16" XR13: Triple pane glass, 1-3/16", PD Only XR14: Triple pane glass, 1-3/16", PD Only XR15: Triple pane glass, 1-1/16" | AG: Argon Gas KR: Krypton Gas
Numbers are based off of windows tested without grids. The results are based on a tested window sample by AAMA testing window guidelines. Title of Test & Method: Air Infiltration - ASTM E 283 75 PA - (1.6 psf) 25 mph.

CATALOGUE SIZES & CLEAR OPENINGS



Diagrams may not be to exact scale. 2-Panel configurations available with left and right moving panels.
3-Panel configurations available with left, right, and central moving panels. Ask your local dealer for more information.



All illustrations, photographs, and specifications in this publication are based on the latest product information available at the time of printing. Some windows shown with optional features. See actual product for complete accuracy. The manufacturer reserves the right to alter or discontinue any model or specification without notice. Printed colors may not match the product's actual color. Please visit a local dealer to view actual color samples.



9/2026

OKNA Windows | 400 Crossings Drive, Bristol, PA 19007 | P 215-788-7000 F 215-781-1166 | oknawindows.com